



EXCLUSIVE TO JELD-WEN

Versatile & Timeless

Madison is a classic design and its clean lines will complement any architectural style. Equally comfortable in traditional or contemporary settings, this design is sure to accentuate any interior decor.



Attention to Detail

- » Striking in its simplicity, this unadorned design returns an aesthetically pleasing balance
- » Recessed, flat panels and non-profiled sticking accentuate the classic design
- » Available as true, no-added formaldehyde doors (NAF) for improved air quality
- » JELD-WEN molded doors contain recycled wood
- » Smooth, primed surface that is ready to paint, so you can easily match any color scheme
- » Two construction types available: Hollow core or ProCore The Quiet Door® solid core construction for improved sound control



JELD-WEN
Exclusive Craftsman
sticking with Flat
Panels

PROCORE
THE QUIET DOOR®

Long Lasting Craftsmanship

Madison is available in passage as well as bifolds, making it easy for the homeowner, builder, or remodeler to find the right door for the project.

- » 6'8", 7'0" and 8'0" heights
- » 1'0" through 3'0" widths
- » Matching bifolds with symmetrical stile widths
- » Industry-leading 5-year limited warranty



STYLES & SPECIFICATIONS



Madison 6'8", 7'0" & 8'0" Sizes

Width	Height	# of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Sticking Profile	Surface
1' 0"	6'8", 7'0"	One	1-3/8", 1-3/4"	5-3/8"	3-5/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 2"	6'8", 7'0"	One	1-3/8", 1-3/4"	5-3/8"	4-5/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 3"	6'8", 7'0"	One	1-3/8", 1-3/4"	5-3/8"	4-13/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 4"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	7-13/16"	4-1/16"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 6"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	7-13/16"	5-1/16"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 8"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	11-1/2"	4-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 10"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	11-1/2"	5-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 0"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	15-1/2"	4-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 2"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	15-1/2"	5-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 4"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	18-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 6"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	20-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 8"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	22-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 10"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	22-1/2"	5-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
3' 0"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	26-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth

Madison Bifolds

Heights	# of Panels	Thickness	Widths* 2 doors or 1 unit	Widths* 4 doors or 2 unit
6'7" 6'11"	One	1-3/8"	2'0", 2'4", 2'6", 2'8", 3'0"	4'0", 4'8", 5'0", 5'4", 6'0"
7'11"	One	1-3/8"	2'8", 3'0"	5'4", 6'0"

Sticking Profile: C=Craftsman

*Assuming standard bore machining (2-1/8" diameter bore), outer stile measurements listed above must be no less than 3-3/4" in order to accommodate a 2-3/8" backset on the lock hole. For 2-3/4" backsets, outer stile measurements must be no less than 3-13/16". If lock bore machining is less than the outer stile measurements listed above, all lock bore drilling must be done within the lock rail for best appearance and performance. Outer stile dimension may vary 1/4" from the measurements listed above.

The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.

OUR RELIABILITY PROMISE

JELD-WEN® products can create lasting value for your home. We are so confident that you will be pleased with our Interior Doors, that each one carries our industry-leading warranty. Here are just some of the highlights of our warranty...

THE INTERIOR DOOR SLAB LIMITED WARRANTY INCLUDES:

- » 5-year coverage for defects in material and workmanship on Molded interior door slabs
- » 1-year coverage on JELD-WEN® door frames for defects in material and workmanship

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components not sold by JELD-WEN.

Important Legal Information

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

NOTE: The above information is a summary of key provisions of the **JELD-WEN Interior and Exterior Door Slab and System Limited Warranty** effective May 1, 2012. For a complete copy of the current warranty, see your sales associate or refer to www.jeld-wen.com.



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build

© 2012, 2011 JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited.

JELD-WEN reserves the right to change product specifications without notice. Please check our website, jeld-wen.com, for current information.

10-90516 09/12 (SB 5M)