

EXCEPTIONAL FEATURES

New JELD-WEN® Tradition Plus Wood sliding patio doors offer exceptional features at a great value. They are built with AuraLast—The Worry-Free Wood®, feature an extruded aluminum cladding option and are supported with an industry leading 20-year Limited Warranty.



Bi-parting Exterior View



2-Panel Interior View



2-Panel Exterior View



3-Panel Interior View



3 Panel Exterior View

AURALAST—THE WORRY-FREE WOOD®

Protects against Termites, Wood Rot and Water Saturation



Reliability

Only JELD-WEN makes window and door products with natural pine AuraLast® Wood.

Surface to Core Protection

AuraLast Wood provides virtually 100% penetration of the protective ingredients while other manufacturers use submersion/dip-treatment methods which only protect the outer surface of the wood.

Protects Against Termites

Harmful termites will eat through unprotected wood—not so with AuraLast Wood.

Protects Against Wood Rot

AuraLast Wood window and door products maintain their structural integrity even in the harshest weather and toughest climates.

Protects Against Water Saturation

AuraLast Wood offers superior resistance to water saturation, which protects against swelling that causes windows and doors to stick.

Working with AuraLast Wood is Easy

Nail and screw holes and trimming and sanding will not compromise the shield of AuraLast protection.

Visit jeld-wen.com/lauralast for more information

WORRY



**WORRY
FREE**



**20
YEAR
LIMITED
WARRANTY**

Windows
& Doors




INTERIOR

Standard Prefinished Interiors

Custom Options Available

- | | |
|--------------------|--------------|
| 1. Primed | 6. Wheat |
| 2. Brilliant White | 7. Cider |
| 3. Ivory | 8. Fruitwood |
| 4. Desert Sand | 9. Cordovan |
| 5. Clear Lacquer | 10. Walnut |



Colors shown may not match final finish.

Hardware & Finishes*

Three Point Lock for added security and increased performance.

A keyed lock is standard. Keyed alike lock is optional.



Three Point Lock
Sliding Patio Door Handle

Handle & Hinge Hardware Colors




* Actual colors may vary from the samples displayed.
** Available with optional PVD finish

Sidelights and Transoms

Sidelights are available in 2'-6" to 4'-0" widths. Sashed transoms are available with siteline match to the panels they are installed above.



Sill Colors



Standard Optional

EXTERIOR

Trim Options


Choose exterior trim for added visual appeal. We offer factory-applied Brickmould, Heritage and Flat Casings for our windows and patio doors with wood exteriors.

For clad-wood exteriors, we provide factory-applied Adams Casing, Flat Casing and Brickmould.

Wood



Clad



Exterior Available in Clad, Primed Pine or Clear Pine




Clad (Shown with narrow stiles) Primed Pine (Shown with wide stiles) Clear Pine (Shown with wide stiles)

Wide Stile Option

Primed and bi-parting doors are available with the wide-stile only.

Clad Colors*

The cladding we use features a baked-on finish that does not need to be repainted over time and requires minimal maintenance. Our cladding also allows you to accentuate your home's visual appeal, because we provide a range of beautiful cladding colors. The available colors are shown here.



*Actual colors may vary from the samples displayed



FEATURES

Blinds Between the Glass (BBG)

Blinds between the glass (BBG) provide privacy and are virtually maintenance-free. The blinds, which have no exposed cords, are thermally sealed between clear insulating glass. So there's no need for dusting.

They're also easy to raise, lower and tilt with a reduced travel operator that moves the blinds two inches for every one inch you move. Additional benefits include less exposure to allergens, reduced fading of interior furnishings and increased energy efficiency.



Only available in narrow stile with clad option, in 5'0" and 6'0" X 6'8" configurations

Standard Features

- » Solid pine AuraLast® Wood protects against wood decay, water saturation and termites
- » Exterior frame and panel surfaces completely covered with low-maintenance, extruded aluminum cladding with integral nailing fin
- » 4-9/16" jambs
- » Clear pine interior
- » Fiberglass sill provides an exceptional thermal barrier and integrates a concealed sill anchoring system to reduce crowning
- » The fiberglass sill with corner key construction provides a tight seal from water and raises wood components above the water line to prevent water absorption
- » Ball check weep system seals during heavy winds to prevent water from entering
- » Extremely smooth operating stainless steel rollers
- » Comes assembled from the factory to save you time and money and to ensure reliable performance
- » Panels are thermally broken by a fiberglass interlock to prevent direct exterior to interior temperature transfer
- » Tempered Low-E insulating glass with argon gas fill for greater energy efficiency
- » DP 40 rating standard with narrow stiles
- » DP 50 rating standard with wide stiles

Optional Features

- » Glass options include Blinds Between the Glass, Clear, LoE³-366, Obscure, Dual Low-E
- » Interior is available factory stained - fruitwood, cider, cordovan, wheat or walnut
- » Interior is available factory primed or brilliant white, ivory or desert sand premium paint
- » DP 65 rating
- » Variety of sidelights and transoms that may be factory mullied
- » Choose from exterior bottom rail or heavy duty top rolling insect screens*
- » Jamb depths in 1/16" increments up to 7-9/16"
- » Available as an ENERGY STAR® qualifying door

* Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.

The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.

OUR RELIABILITY PROMISE

JELD-WEN products create lasting value for your home. We are so confident that you will be pleased with our Tradition Plus Wood Windows and Patio Doors, that each one carries our industry-leading warranty. Here are just some of the highlights of our warranty...

The Wood and Metal-Clad Wood Window & Patio Door Limited Warranty Includes:

- 20-year coverage against defects in material and workmanship for most product components (such as insulating glass, metal and wood components, and hardware)
- 20-year coverage on AuraLast pine against wood decay and termite damage
- 10-year coverage on polyester clad finishes
- Skilled labor coverage for warranty repairs for 2 years

Important Legal Information

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state province.

NOTE: The above information is a summary of key provisions of the **JELD-WEN Wood and Metal-Clad Wood Window & Patio Door Limited Warranty** effective July 1, 2010. For a complete copy of the current warranty, see your sales associate or refer to www.jeld-wen.com.



Official window, door and millwork provider of the PGA TOUR and Champions Tour



Made in the USA

© 2011, JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. JELD-WEN reserves the right to change product specifications without notice. Please check our website, jeld-wen.com, for current information.

11-805 12/11 (SB 5M)